

SAFETY DATA SHEET

According to

HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Product Use: Restriction of Use:	Glaze Extend ESSENTIAL Fertiliser additive Refer to Section 15	
New Zealand Manufacturer: Address:	Glaze Coatings 49 Hynds Drive Rolleston Christchurch New Zealand	
Telephone: Emergency No:	+64 21 043 7258 NZ 0800 764 766 (National Poison Centre) AU 131 126	
Date of SDS Preparation:	08 April 2024	
Section 2. Hazards Identification		

This substance is not hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: N/A

Pictograms



Irritant

Chronic

Signal Word: **DANGER**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1E (Resp)	H335	May cause respiratory irritation.	STOT SE 3
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.8B	H361	Suspected of damaging fertility or the unborn child.	Repr. 2

Prevention Code	Prevention Statement
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing fumes, vapours and spray.
P264	Wash hands thoroughly after handling.

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response Code	Response Statement
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable
	for breathing.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Rice Bran Wax	5-15%	8016-60-2
N-(n-butyl)-Thiophosphoric Triamide	8-25%	94317-64-3
Pigment (Pink)	0.06%	3049-71-6

Section 4.	First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.
If on Skin	Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation occurs: get medical advice/attention.
If Swallowed	Do not induce vomiting. Wash out mouth thoroughly with water. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.
	mptoms and effects, both acute and delayed
Symptoms: Ingestion:	Not applicable.
Inhalation:	May cause respiratory irritation.
Skin:	Causes skin irritation.
Eye: Chronic:	Causes serious eye irritation. Suspected of damaging fertility or the unborn child.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from combustion products	None known.
Suitable Extinguishing media	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Precautions for firefighters and special protective clothing	When fighting a major fire wear self-contained breathing apparatus and protective equipment.
HAZCHEM CODE	None Allocated

Section 6. Accidental Release Measures

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all nonessential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

In the event of a major spill, prevent spillage from entering drains or water courses.

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Avoid breathing fumes, vapours and spray.
- Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.
- Food, beverages and tobacco products should not be stored or consumed where this material is in use.
- Always wash hands before smoking, eating, drinking or using the toilet.
- Wash contaminated clothing and other protective equipment before storage or re-use.
- Provide eyewash fountains and safety showers in close proximity to points of potential exposure.
- Use only outdoors or in a well-ventilated area.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Store in a cool, dry and well ventilated area.
- Keep container tightly closed when not in use.
- Protect from heat and moisture.
- Keep away from oxidising agents.

Section 8

Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

	TWA	STEL
Substance	ppm mg/m³	ppm mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA).The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Personal Protection Equipment



Eyes	Eye and face protectors for protection against splashing materials or liquids.
Lyes	
	See Australian/New Zealand Standard AS/NZS 1337 for more information.
Skin	Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker
	and the performance of the protective clothing).
Respiratory	Where an inhalation risk exists, wear a Class P1 (Vapour) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Vapour) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.
General	

Section 9 Physical and Chemical Properties	Section 9	Physical and Chemical Properties
--	-----------	----------------------------------

Appearance	Liquid
Colour	Pink
Odour	Low odour
Odour Threshold	Not applicable
рН	Not applicable
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Non flammable
Upper and Lower	Not applicable
Explosive Limits	
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Specific Gravity	Not applicable
Water Solubility	Insoluble
Partition Coefficient:	Not applicable
Auto-ignition	Not applicable
Temperature	
Decomposition	Not applicable
Temperature	
Kinematic Viscosity	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous	Not available
reactions	
Conditions to Avoid	Heat and moisture.
Incompatible Materials	Not available.
Hazardous Decomposition	No hazardous decomposition products known.
Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	May cause respiratory irritation.
Eye	Causes serious eye irritation.
Skin	Causes skin irritation.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Suspected of damaging fertility or the unborn child.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Individual component information:

Acute Toxicity:

Chemical Name	Oral – LD50	Dermal – LD50	Inhalation – LC50
94317-64-3 N-(n-butyl)-	>2000 mg/kg(rat)	>2000mg/kg (Rat)	-
thiophosphoric triamide			

Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

Product:	
Persistence and degradability	No data available
Bioaccumulation	Bioaccumulation is not expected to occur
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method:

Triple rinse and dispose according to Local Regulations.

Precautions or methods to avoid: None known.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ ; NZS 5433:2012

Section 15 Regulatory Information

This substance is not classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: N/A

HSNO Classification: 6.1E(Resp), 6.3A, 6.4A, 6.8B

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	Only use for the intended purpose.

Glossary	
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms
	inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible
	authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by Glaze Coatings and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. Glaze Coatings have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Glaze Coatings accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.Please contact the New Zealand distributor, if further information is required.Issue Date:05 April 2024Review Date:05 April 2029