

## SAFETY DATA SHEET

According to  
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

### Section 1. Identification of the material and the supplier

Product: **Glaze Extend**  
 Product Use: Fertiliser additive  
 Restriction of Use: Refer to Section 15

New Zealand Manufacturer: **Southstar Technologies**  
 Address: 49 Hynds Drive  
 Rolleston  
 Christchurch  
 New Zealand

Telephone: +64 21 043 7258  
**Emergency No: 0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 08 September 2020

### Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

**EPA Approval No: Fertilisers (subsidiary) – HSR002571**

#### Pictograms



Irritant



Chronic

Signal Word: **DANGER**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1E (Resp)	H335	May cause respiratory irritation.	STOT SE 3
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.8B	H361	Suspected of damaging fertility or the unborn child.	Repr. 2

Prevention Code	Prevention Statement
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing fumes, vapours and spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.

P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response Code	Response Statement
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

### Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.	EC NUMBER.
Rice Bran Wax	5-15%	8016-60-2	232-409-7
N-(n-butyl)-Thiophosphoric Triamide	5-15%	94317-64-3	435-704-7
Zinc Oxide	5.0-9.9%	1314-13-4	215-222-5
Pigment (red)	0.06%	3049-71-6	221-264-5

### Section 4. First Aid Measures

Routes of Exposure:

- If in Eyes                      Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.
- If on Skin                        Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation occurs: get medical advice/attention.
- If Swallowed                    Do not induce vomiting. Wash out mouth thoroughly with water. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed.
- If Inhaled                        Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

#### Most important symptoms and effects, both acute and delayed

Symptoms:

- Ingestion:**                      Not applicable.
- Inhalation:**                      May cause respiratory irritation.
- Skin:**                                Causes skin irritation.
- Eye:**                                Causes serious eye irritation.
- Chronic:**                         Suspected of damaging fertility or the unborn child.

## Section 5. Fire Fighting Measures

<b>Hazard Type</b>	Non Flammable
<b>Hazards from combustion products</b>	None known.
<b>Suitable Extinguishing media</b>	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Precautions for firefighters and special protective clothing</b>	When fighting a major fire wear self-contained breathing apparatus and protective equipment.
<b>HAZCHEM CODE</b>	<b>None Allocated</b>

## Section 6. Accidental Release Measures

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

In the event of a major spill, prevent spillage from entering drains or water courses.

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

## Section 7. Handling and Storage

### Precautions for Handling:

- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Avoid breathing fumes, vapours and spray.
- Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.
- Food, beverages and tobacco products should not be stored or consumed where this material is in use.
- Always wash hands before smoking, eating, drinking or using the toilet.
- Wash contaminated clothing and other protective equipment before storage or re-use.
- Provide eyewash fountains and safety showers in close proximity to points of potential exposure.
- Use only outdoors or in a well-ventilated area.
- Wear protective clothing as detailed in Section 8.

### Precautions for Storage:

- Store in a cool, dry and well ventilated area.
- Keep container tightly closed when not in use.
- Protect from heat and moisture.
- Keep away from oxidising agents.

## Section 8 Exposure Controls / Personal Protection

### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WES-STEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

### Engineering Controls

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

### Personal Protection Equipment



<b>Eyes</b>	Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.
<b>Skin</b>	Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing).
<b>Respiratory</b>	Where an inhalation risk exists, wear a Class P1 (Vapour) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Vapour) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.
<b>General</b>	

### Section 9 Physical and Chemical Properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Red/Pink
<b>Odour</b>	Low odour
<b>Odour Threshold</b>	Not applicable
<b>pH</b>	Not applicable
<b>Boiling Point</b>	Not applicable
<b>Melting Point</b>	Not applicable
<b>Freezing Point</b>	Not applicable
<b>Flash Point</b>	Not applicable
<b>Flammability</b>	Non flammable
<b>Upper and Lower Explosive Limits</b>	Not applicable
<b>Vapour Pressure</b>	Not applicable
<b>Vapour Density</b>	Not applicable
<b>Specific Gravity</b>	Not applicable
<b>Water Solubility</b>	Insoluble
<b>Partition Coefficient:</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	Not applicable
<b>Kinematic Viscosity</b>	Not applicable

<b>Particle Characteristics</b>	Not applicable
---------------------------------	----------------

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	This product is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Not available
<b>Conditions to Avoid</b>	Heat and moisture.
<b>Incompatible Materials</b>	Not available.
<b>Hazardous Decomposition Products</b>	No hazardous decomposition products known.

## Section 11 Toxicological Information

### Acute Effects:

<b>Swallowed</b>	Not applicable.
<b>Dermal</b>	Not applicable.
<b>Inhalation</b>	May cause respiratory irritation.
<b>Eye</b>	Causes serious eye irritation.
<b>Skin</b>	Causes skin irritation.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Suspected of damaging fertility or the unborn child.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Not applicable.

### Individual component information:

#### Acute Toxicity:

<b>Chemical Name</b>	<b>Oral – LD50</b>	<b>Dermal – LD50</b>	<b>Inhalation – LC50</b>
94317-64-3 N-(n-butyl)-thiophosphoric triamide	>2000 mg/kg(rat)	>2000mg/kg (Rat)	-
9314-13-2 Zinc Oxide	>5000 mg/kg(rat)	>5000mg/kg (Rat)	-

## Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

<b>Product:</b>	
<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	Bioaccumulation is not expected to occur
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available

## Section 13. Disposal Considerations

### Disposal Method:

Triple rinse and dispose according to Local Regulations.

**Precautions or methods to avoid:** None known.

**Section 14 Transport Information**

**This product is NOT classified as a Dangerous Good for transport in NZ ; NZS 5433:2012**

**Section 15 Regulatory Information**

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: Fertilisers (subsidiary) – HSR002571

HSNO Classification: 6.1E(Resp), 6.3A, 6.4A, 6.8B

<b>HSW (HS) Regulations 2017 and EPA Notices</b>	<b>Trigger Quantity</b>
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	Only use for the intended purpose.

**Section 16 Other Information****Glossary**

EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

**References:**

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

**Disclaimer**

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage

(including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 08 September 2020

Review Date: 08 September 2025